

Parts & Accessories Bulletin

February 10, 1995



PAB #535


Harley-Davidson Common Hardware

We have compiled this comprehensive list of Harley-Davidson common hardware as a quick-reference guide for our dealers. The list contains numerically ordered part numbers of common fasteners and similar parts used on Harley-Davidson vehicles. In addition to part number, the list includes information on hardware dimensions, material, finish, head style, thread locking compound, and other performance specifications where applicable. Unique fasteners are shown in their respective vehicle's Parts Catalog.

Most of the listed parts are currently available from Harley-Davidson P&A. However, in some cases, the part listed is obsolete and will no longer be sold by H-D. Harley-Davidson reserves the right to substitute or revise hardware finish, material, specifications, part number, and package quantities at any time without notice. Please call your H-D Sales Account Representative regarding parts availability and ordering.

Most Harley-Davidson vehicles contain a few fasteners with metric dimensions. These parts may appear to be very close in dimension to the familiar parts with English (or SAE) dimensions. It is essential that replacement fasteners be of the same type as those removed. Use care when selecting replacement fasteners to make certain they are equivalent to the original fasteners in all functional respects including dimensions (diameter, length, head size, thread pitch, etc.), style, strength, and corrosion resistance.

Genuine Harley-Davidson
Service Parts are the keys to your financial success!




FILE IN ACCESSORY GUIDE FOR FUTURE REFERENCE

DIMENSIONS

BOLTS/SCREWS

Typical dimensions for machine bolts and screws include diameter (with thread pitch) and length of the fastener's threaded section. The diameter is expressed in inch fractions (English) or millimeters (metric). The thread pitch indicates threads per inch (English) or millimeter spacing between threads (metric). The length is expressed in inches/inch fractions (English) or millimeters (metric).


For instance, the threaded section of a 3/8 - 16 x 1-1/4 bolt (English) has a diameter of 3/8", a pitch of 16 threads per inch, and a length of 1-1/4". The threaded section of an M8 x 1.25 x 25 bolt (metric) has a diameter of 8mm, a pitch of 1.25mm (space between threads), and a length of 25mm.



WASHERS

Typical dimensions for washers include inside diameter, outside diameter, and thickness. Most washers used on Harley-Davidson vehicles have dimensions expressed in inches/inch fractions (English).


For instance, a 1/4 x 9/16 x 1/16 washer has a 1/4" inner diameter, a 9/16" outer diameter, and a 1/16" thickness.



NUTS

Typical dimensions for nuts include diameter (with thread pitch) of the threaded section, overall height of the nut, and hex size (or distance between opposite flat sides). The diameter is expressed in inch fractions (English) or millimeters (metric). The thread pitch indicates threads per inch (English) or millimeter spacing between threads (metric). The overall height and the hex size are expressed in inches/inch fractions (English) or millimeters (metric).

For instance, the threaded section of a 3/8 - 16 x 7/16 x 9/16 nut (English) has a diameter of 3/8" and a pitch of 16 threads per inch; the nut has an overall height of 7/16" and a hex size of 9/16". The threaded section of an M8 x 1.25 x 7.25 x 15 nut (metric) has a diameter of 8mm and a pitch of 1.25mm (space between threads); the nut has an overall height of 7.25mm and a hex size of 15mm.



STRENGTH

Typical English (or SAE) bolts often have identification marks on the head that indicate the metallurgical specifications adhered to in the making of the bolt. Generally, the greater the number of "lines," the greater the tensile strength.



SAE grade 2
Approx. Min. Tensile Strength
69,000 psi



SAE grade 5
Approx. Min. Tensile Strength
120,000 psi




SAE grade 7
Approx. Min. Tensile Strength
133,000 psi



SAE grade 8
Approx. Min. Tensile Strength
150,000 psi

BOLT/SCREW HEAD STYLE

	BUTTON HEAD
	CARRIAGE HEAD
	FILLISTER HEAD
	FLAT HEAD
	HEX HEAD
	OVAL HEAD

	PAN HEAD
	ROUND HEAD
	SOCKET HEAD
	TORX HEAD
	TRUSS HEAD
	TWELVE-POINT HEAD

DRIVING RECESS

	CLUTCH
	HEX SOCKET
	PHILLIPS
	POZIDRIV
	SLOTTED
	TORX SOCKET

COMMON HARDWARE

1000	SCREW, 1/4-20 X 5/16 pan hd. (Grade 2 steel) (Chrome)	2698A	SCREW, 5/16-18 X 9/16 socket fillis. hd.
1040	SCREW, No. 8-32 X 1/4 fillister hd.	2708	SCREW, 5/16-18 X 1 socket hd.
1046	SCREW, #8 X 5/16 fillister hd. (self-tapping)	2708A	SCREW, 5/16-18 X 1 socket hd.
1203	SCREW, No. 8-32 X 7/8 Pozidriv fillister hd. (Grade 2 steel)	2710C	SCREW, No. 4-40 X 3/8 Phillips oval ctsk. hd. (chrome)
1205	SCREW, No. 10-24 X 3/4 Pozidriv fillister hd.	2711	SCREW, No. 4-40 X 3/8 pan hd. (self-tapping)
1309A	SCREW, No. 10-32 X 1/2 Phillips Truss hd. (self-sealing)	2712	SCREW, No. 10-24 X 9/16 Torx drive (w/lockpatch)
1309B	SCREW, No. 10-32 X 1/2 Phillips truss hd. (self-sealing)	2718	BOLT, 1/4-20 X 1-5/8 hex. hd. (Grade 5 steel)
1311C	SCREW, No. 8-32 X 1/2 Phillips truss hd. (self-sealing)	2720	SCREW, No. 10-24 X 1 Torx hd. (w/locking adhesive)
1357W	SCREW, 1/4-20 X 1 Phillips oval ctsk. hd. (stainless)	2724	SCREW, No. 10-16 X 1/2 (Grade 2 steel) (chrome)
1601	SCREW, No. 8-32 X 1/2 Pozidriv flat ctsk. hd. (Grade 2 steel)	2725	SCREW, No. 12-24 X 5/8 Phillips rd. hd.
1602	SCREW, 1/4-20 X 3/4 flat hd. (Grade 2 steel)	2726	SCREW, No. 12-24 X 21/32 Phillips truss hd. (chrome)
1610	SCREW, 5/16-24 X 1-1/2 Pozidriv flat ctsk. hd. (Grade 2 steel)	2731W	SCREW, No. 10 X 3/8 Phillips truss hd. (self-tapping)
1611	SCREW, No. 10-32 X 3/4 Pozidriv flat ctsk. hd. (Grade 2 steel)	2733	SCREW, 1/4-28 X 1/2 slotted rd. hd. (w/lockwasher)(chrome)
1614	BOLT, 1/2-20 X 1-1/2 hex. hd. (chrome)	2737	SCREW, No. 4-40 X 1/4 Pozidriv pan hd. (Grade 2 steel)
1643	SCREW, 7/16-14 X 1-1/4 flat socket ctsk. hd. (w/lockpatch)	2739	SCREW, 1/4-28 X 1/2 Phillips truss hd. (w/lockwasher)(chrome)
1719W	SCREW, No. 8-32 X 5/8 Phillips truss hd.	2757W	SCREW, 1/4-28 X 7/16 Phillips truss hd. (w/lockwasher)(chrome)
1783	SCREW, 5/16-18 X 7/8 Pozidriv flat ctsk. hd. (Grade 2 steel)	2770W	SCREW, 1/4-20 X 3/4 hex. hd. (self-tapping)
1795A	SCREW, 1/4-20 X 3 socket hd. (Grade 8 steel)	2773	SCREW, 1/4-20 X 1/2 Pozidriv pan hd. (Grade 2 steel)
2003	SCREW, 5/16-18 X 1 Pozidriv pan hd. (Grade 2 steel)	2774	SCREW, 1/4-20 X 5/8 Pozidriv pan hd. (Grade 2 steel)
2005	SCREW, 3/8-24 X 15/16 Pozidriv oval ctsk. hd. (Grade 2 steel)(chrome)	2779	SCREW, No. 6-32 X 15/16 pan hd. (self-tapping)
2151	SCREW, 1/4-20 X 3/4 pan hd.	2784	SCREW, 5/16-18 X 7/8 Pozidriv truss hd. (Grade 2 steel)
2216W	SCREW, No. 4-24 X 1/2 Phillips oval ctsk. hd. (self-tapping)	2787	SCREW, 5mm-.8 pt. X 10mm pan hd. (Grade 2 steel)
2325	SCREW, No. 6 X 3/4 cross recess pan hd. (self-tapping)	2790	BOLT, 5/16-18 X 7/8 hex. hd. (w/lockpatch)(Grade 5 steel)
2337W	SCREW, 1/4-20 X 1/2 pan hd. (self-lock)	2790A	BOLT, 5/16-18 X 7/8 hex. hd. (w/lockpatch)(Grade 5 steel)
2339	BOLT, No. 10-24 X 3/4 hex. hd. (Grade 2 steel)	2796W	SCREW, 1/4-20 X 1-1/2 hex. slot hd. (w/lockpatch)
2361	SCREW, No. 8-32 X 3/8 socket flat ctsk. hd. (w/locking adhesive)	2804W	SCREW, No. 6-32 X 1/2 Pozidriv pan hd.
2401	SCREW, No. 10-24 X 5/8 oval hd. (Grade 2 steel)	2806	SCREW, No. 6-32 X 3/4 Pozidriv pan hd. (Grade 2 steel)
2405A	SCREW, 5/15-18 X 3/4 oval hd.	2818	BOLT, 5/16-18 X 1 - 1/2 hex. hd. (Grade 5 steel)
2417	SCREW, 1/4-28 X 5/8 Pozidriv truss hd. (Grade 2 steel)	2823	SCREW, 5/16-24 X 3/8 Pozidriv truss hd. (w/lockwasher)(Grade 2 steel)
2420	SCREW, 1/4-20 X 3/4 Pozidriv truss hd. (Grade 2 steel)	2824W	SCREW, 5/16-24 X 9/16 Phillips hd.
2430	SCREW, No. 12-24 X 7/8 knurled socket hd.	2831	SCREW, No. 6-32 X 3/8 Pozidriv truss hd. (Grade 2 steel)
2432	SCREW, No. 12-24 X 7/8 Phillips truss hd. (black)	2841W	SCREW, 1/4-28 X 1-7/32 Phillips hd.
2501	SCREW, No. 8-32 X 3/8 socket hd. (self-tapping)	2851	BOLT, 3/8-16 X 7/8 hex. hd. (Grade 5 steel)
2504	SCREW, No. 10-16 X 1-1/8 Pozidriv oval ctsk. hd. (self-tapping)	2871W	BOLT, 5/16-18 X 1-1/4 hex. hd. (Grade 5 steel)
2507	SCREW, No. 6-32 X 7/16 Pozidriv pan hd. (Grade 2 steel)	2872W	BOLT, 1/4-20 X 1-1/2 hex. hd. (Grade 5 steel)
2508	SCREW, No. 10-32 X 1/2 socket rd. hd.	2879W	BOLT, 3/8-16 X 1 hex. hd. (Grade 5 steel)
2511	SCREW, No. 10-24 X 7/16 pan hd. (self-tapping)	2881W	BOLT, 1/4-20 X 2 hex. hd. (Grade 5 steel)
2513	SCREW, 1/4-20 X 1-1/4 socket rd. hd. (black)	2882W	BOLT, 5/16-18 X 5/8 hex. hd. (Grade 5 steel)
2519	SCREW, 1/4-20 X 1-1/2 Socket button hd. (black)	2887W	BOLT, 5/16-18 X 1-3/4 hex. hd. (Grade 5 steel)
2523	SCREW, No. 8-32 X 1/2 hex washer hd. (self-tapping)	2888	SCREW, No. 8-32 X 1/2 Pozidriv truss hd. (Grade 2 steel)
2524	SCREW, No. 8-32 X 5/16 hex button hd. Torx (self-tapping)(Grade 8 steel)(black)	2889	BOLT, 3/8-24 X 3/4 hex. hd. (Grade 5 steel)
2528	SCREW, No. 10-24 X 1/2 socket button hd.	2896	SCREW, 3/8-16 X 7/8 button hd. (self-locking)
2530	SCREW, No. 4-40 X 3/8 pan hd.	2904	SCREW, 3/8-24 X 3/4 socket hd.
2531	SCREW, No. 4-40 X 5/16 Pozidriv pan hd. (Grade 2 steel)	2904A	SCREW, 3/8-24 X 3/4 socket hd.
2537	SCREW, 1/4-20 X 1/2 hex. (Grade 1 steel)	2906	BOLT, 3/8-16 X 7/8 hex. hd. (w/lockpatch)(Grade 5 steel)
2538	SCREW, 1/4-20 X 1 Pozidriv pan hd. (Grade 2 steel)	2907	SCREW, M3 X .05 X 8mm cross recess pan hd. (self-tapping)
2551W	BOLT, 1/4-20 X 1 hex. hd. (Grade 5 steel)	2908	SCREW, M3 X .05 X 12mm cross recess pan hd. (self-tapping)
2557	SCREW, 1/4-20 X 1 flange hd. (Grade 5 steel)	2909	SCREW, M3 X .05 X 25mm cross recess pan hd. (self-tapping)
2568	SCREW, No. 12-24 X 3/4 round hd. (wood)	2910	SCREW, M3 X 1.058 X 8mm cross recess pan hd. (self-tapping)
2574WA	SCREW, No. 6-32 X 1/4 oval hd. (w/lockwasher)	2911	SCREW, M3 X .5 X 20mm pan hd.
2576	SCREW, No. 10-32 X 3/4 Pan Hd. (Grade 2 steel)	2913	SCREW, 3/8-16 X1 hex hd.(L.H. thd.)
2579	SCREW, No. 8-32 X 5/8 Pozidriv oval ctsk. hd. (Grade 2 steel)	2914	SCREW, 3/8-16 X 7/8 hex hd. (L.H. thd.)
2581	SCREW, No. 10-24 X 1-5/8 Pozidriv pan hd. (Grade 2 steel)	2916	SCREW, 3/8-16 X 5/8 socket button hd. (Grade 8 steel)
2582	SCREW, 5/16-18 X 3/4 Pozidriv pan hd. (Grade 2 steel)	2918	SCREW, No. 10-24 X 1-1/4 Torx hd. (w/locking adhesive)
2583	SCREW, No. 10-32 X 5/16 Pozidriv pan hd. (Grade 2 steel)	2920	SCREW, 1/4-20 X 3/4 pan hd.
2585	SCREW, No. 8-32 X 5/16 Pozidriv pan hd. (Grade 2 steel)	2921	SCREW, No. 12 X 5/8 pan hd. Torx (locking)
2587	SCREW, No. 10-32 X 1/4 Pozidriv pan hd. (Grade 2 steel)	2925	SCREW, 7/16-20 X 1 knurled soc. hd.
2589	SCREW, No. 6-32 X 1/4 Phillips pan hd. (Grade 2 steel)	2928	SCREW, 1/4 X 2 hex. hd. (tapping)
2592	SCREW, No. 10-24 X 1/2 Pozidrivpan hd. (Grade 2 steel)	2929	SCREW, 1/4-20 X 1 pan hd.
2594A	SCREW, No. 8-32 X 1/4 Pozidriv pan hd. (w/lockwasher)(Grade 2 steel)	2933	SCREW, No. 10-24 X 1/2 flat hd.
2599	SCREW, 1/4-20 X 1-3/4 Pozidriv pan hd. (Grade 2 steel)	3201W	SCREW, 5/16-18 X 1-1/4 knurled soc. hd.
2602	SCREW, 1/4-20 X 1-1/4 Pozidriv pan hd. (Grade 2 steel)	3201WA	SCREW, 5/16-18 X 1-1/4 knurled soc. hd.
2604	SCREW, No. 10-32 X 1/2 Pozidriv pan hd. (Grade 2 steel)	3210	SCREW, 5/16-18 X 1-1/4 socket fillister hd.
2607	SCREW, 1/4-20 X 3/4 Pozidriv pan hd. (Grade 2 steel)	3210A	SCREW, 5/16-18 X 1-1/4 knurled soc. hd.
2611B	BOLT, No. 10-32 X 3/4 hex. washerhd. (Grade 5 steel)	3214	SCREW, 3/8-16 X 1-1/4 socket hd. (thd. cutting)
2614	BOLT, 1/4-28 X 2 hex. hd. (Grade 5 steel)	3221	SCREW, No. 4-16 X 3/16 set screw (Grade 8 steel)
2623W	SCREW, No. 8-15 X 5/8 pan hd. (self-tapping)(Grade 1 steel)	3224	SCREW, 5/16-24 X 2-3/4 knurled socket hd. (Grade 8 steel)
2625	SCREW, No. 8-32 X 5/8 Pozidriv pan hd. (Grade 2 steel)	3228	SCREW, 5/16-18 X 3/4 hex. socket hd. (w/washer)(Grade 8 steel)
2630W	SCREW, No. 8-32 X 5/16 rd. hd. (self-tapping)	3233	SET SCREW, 1/4-28 X 1/4 socket hd.
2646	SCREW, No. 8-32 X 3/4 Pozidriv pan hd. (Grade 2 steel)	3234W	SET SCREW, 1/4-20 X 5/16 slot hd.
2647	SCREW, No. 10-24 X 3/4 socket hd.	3250	SET SCREW, 5/16-18 X 2(Grade 5 steel)
2647A	SCREW, No. 10-24 X 3/4 socket hd.	3260	SCREW, 1/4 X 1-1/2 hex hd. (self-tapping)
2648	SCREW, 1/4-20 X 1 Pozidriv truss hd. (Grade 2 steel)	3403	LOCKNUT, M8 X 7 X 12mm hex.
2652	SCREW, No. 10-16 X 3/8 hex. washer hd. (self-tapping)	3409	BOLT, 5/16-24 X 3-1/2 hex. hd. (Grade 5 steel)
2661W	SCREW, No. 10-24 X 1/2 Phillips rd. hd. (self-tapping)	3415	BOLT, 5/16-24 X 1 hex. hd. (w/lockpatch)(Grade 5 steel)
2662W	SCREW, No. 10-24 X 3/8 Phillips rd. hd. (self-tapping)	3419	BOLT, 5/16-18 X 2-1/4 hex. hd. (Grade 5 steel)
2664	SCREW, No. 10-24 X 7/16 Pozidriv pan hd. (Grade 2 steel)	3427	BOLT, 5/16-18 X 3-1/2 hex. hd. (Grade 5 steel)
2665	SCREW, No. 10-24 X 5/8 Pozidriv pan hd. (Grade 2 steel)	3429	BOLT, 1/4-20 X 2-3/4 hex. hd. (Grade 5 steel)
2667	BOLT, 5/16-18 X 2 hex. hd. (Grade 5 steel)	3430	BOLT, 5/16-24 X 5 hex. hd. (Grade 5 steel)
2682	SCREW, No. 10-32 X 3/8 Phillips truss hd. (stainless steel)	3440	BOLT, 3/8-16 X 1/2 hex. hd. (Grade 5 steel)
2692W	SCREW, No. 10-24X 1/2 socket fillis. hd.	3441	SCREW, 1/4-20 X 3/4 socket fillis. hd.(w/lockpatch)
2692WA	SCREW, No. 10-24 X 1/2 socket fillis. hd.	3444	SCREW, 1/4-20 X 5/8 socket fillis. hd.(w/lockpatch)
2698	SCREW, 5/16-18 X 9/16 socket fillis. hd.	3444A	SCREW, 1/4-20 X 5/8 socket fillis. hd.(w/lockpatch)
		3445	BOLT, 5/16-18 X 9/16 hex. hd. (w/lockpatch)(Grade 5 steel)

COMMON HARDWARE

3450	BOLT, 1/2-13 X 2-1/2 hex. hd. (Grade 5 steel)	3765	BOLT, 1/4-28 X 5/8 hex. hd.(Grade 5 steel)
3461	BOLT, 3/8-16 X 1-5/8 hex. hd. (Grade 8 steel)	3766	SCREW, No. 10-16 X 15/16 Phillips pan hd.(self-tapping)(black)
3462	BOLT, 5/16-18 X 1-1/4 hex. hd. (Grade 8 steel)	3767B	BOLT, 1/4-20 X 5/8 hex. hd.(Grade 5 steel)
3464	BOLT, 3/8-16 X 3/4 hex. hd. (Grade 8 steel)	3769	BOLT, 7/16-14 X 1-1/2 hex. hd. (Grade 5 steel)
3471	BOLT, 1/2-13 X 2-3/4 hex. hd. (Grade 5 steel)	3770	SCREW, 1/4-20 X 7/8 12 pt. hd.(Grade 5 steel)
3473	BOLT, No. 10-32 X 1/2 hex. washer hd. Grade 2 steel	3771	BOLT, 7/16-14 X 1-1/2 hex. hd. (Grade 5 steel)(w/lockpatch)(chrome)
3478	SCREW, 1/4-20 X 2-1/2 knurled socket hd. (Grade 8 steel)	3782	BOLT, 7/16-14 X 1-1/4 hex. hd. (Grade 5 steel)
3479	SCREW, 1/4-20 X 2-1/4 knurled socket hd. (Grade 8 steel)	3784	SET SCREW, 1/2-20 X 1/2 socket hd. (w/lockpatch)
3480A	SCREW, 1/4-20 X 1-3/4 knurled socket hd.(Grade 8 steel)	3785	BOLT, 3/8-24 X 3/4 hex. hd. (w/lockpatch)(Grade 5 steel)
3481	SCREW, 1/4-20 X 1-1/2 knurled socket hd.	3787	BOLT, 1/4-20 X 3/4 hex. hd.(Grade 5 steel)
3482A	SCREW, 1/4-20 X 1-1/4 knurled socket hd. (Grade 8 steel)	3802W	BOLT, 1/4-20 X 7/8 hex. hd.(Grade 5 steel)
3484	BOLT, 5/16-18 X 1/2 hex. hd. (w/lockpatch)(Grade 5 steel)	3825	BOLT, 1/4-28 X 1 hex. hd.(Grade 5 steel)
3485	SCREW, 5/16-18 X 1-3/4 socket hd.	3826	BOLT, 1/4-28 X 1-1/4 hex. hd.(Grade 5 steel)
3485A	SCREW, 5/16-18 X 1-3/4 knurled socket hd.(Grade 8 steel)	3891	SCREW, 1/2-20 X 2-1/4 soc. button hd.
3486	BOLT, 1/2-20 X 1-1/4 hex. hd.	3892	SCREW, 1/4 X 5/8 (self-tapping)
3487	BOLT, 5/16-24 X 5/8 hex. locking hd.	3930A	SCREW, 5/16-18 X 3/4 hex. washer hd. (self-tapping)
3488A	SCREW, 5/16-24 X 1-1/8 soc. hd.(Grade 8 steel)	3945	BOLT, 3/8-24 X 2-1/4 hex. hd.(Grade 5 steel)
3494	BOLT, 5/16-18 X 7/8 hex. hd.	3946	BOLT, 7/16-20 X 2 hex. hd.(Grade 5 steel)
3494A	BOLT, 5/16-18X 7/8 hex. hd.	3949	BOLT, 1/2-13 X 2-1/2 hex. hd.(Grade 5 steel)
3500	BOLT, 5/16-18 X 2-3/4 hex. hd.(Grade 8 steel)	3950	BOLT, 1/2-20 X 4 hex. hd.(Grade 5 steel)
3501	BOLT, 5/16-18 X 2-1/2 hex. hd.(Grade 8 steel)	3953W	BOLT, 5/16-24 X 1/2 hex. hd.(Grade 5 steel)
3503	BOLT, 5/16-24 X 2 hex. hd.(Grade 8 steel)	3958	BOLT, 1/2-20 X 2-1/4 hex. hd.(Grade 5 steel)
3504	BOLT, 5/16-24 X 5-3/8 hex. hd.(Grade 5 steel)	3960W	BOLT, 5/16-24 X 1 hex. hd.(Grade 5 steel)
3506	STUD, 5/16-24 X 5-3/4 hex. hd.(Grade 5 steel)	3973	BOLT, 1/2-20 X 1-1/4 hex. hd. (drilled)(Grade 5 steel)
3509	BOLT, 3/8-16 X 2-3/4 hex. hd.(Grade 8 steel)	3974HW	BOLT, 5/16-24 X 3/4 hex. hd.(Grade 5 steel)
3512	BOLT, 3/8-24 X 3-1/4 hex. hd. (chrome)	3987	BOLT, 5/16-18 X 3/4 hex. hd.(Grade 5 steel)
3513	BOLT, 3/8-24 X 3-1/2 hex. hd.	3991	BOLT, 5/16-18 X 7/8 hex. hd.(Grade 5 steel)
3514	SCREW, No. 8-32 X 1 fillister hd.	3993	BOLT, 1/4-20 X 1-1/4 hex. hd.(Grade 5 steel)
3516	SCREW, 1/2-20 X 1-1/4 knurled socket hd.	3996	BOLT, 5/16-24 X 7/8 hex. hd.(Grade 5 steel)
3516A	SCREW, 1/2-20 X 1-1/4 knurled socket hd.(Grade 8 steel)	3997	BOLT, 1/4-20 X 1-1/4 hex. hd.
3517	BOLT, No. 10-32 X 1/2 hex. washer hd. (black)	4007	SCREW, 5/16-18 X 1-1/4 socket button hd.
3523	SCREW, No. 6-32 X 5/8 Pozidriv pan hd.	4011	SCREW, 5/16-18 X 1-1/4 socket pan hd.(Grade 5 steel)(black)
3524	SCREW, No. 6-32 X 3/4 Pozidriv pan hd.	4013	SCREW, 3/8-16 X 7/8 socket pan hd.(Grade 5 steel)
3528	BOLT, 3/8-16 X 3-1/4 hex hd.(Grade 8 steel)	4014W	BOLT, 5/16-24 X 1-1/4 hex. hd.(Grade 5 steel)
3529	SCREW, No. 10-32 X 1/4 slot hex washer hd. (self-tapping)	4015	SCREW, 1/4-20 X 7/8 socket rd. hd.(black)
3530	SCREW, 5/16-18 X 3-3/4 hex. hd. (Grade 5 steel)	4016	SCREW, 5/16-18 X 7/8 socket rd. hd.
3531	SCREW, 5/16-18 X 3/8 knurled socket hd.	4017	BOLT, 5/16-18 X 1 hex. hd.(Grade 5 steel)
3531A	SCREW, 5/16-18 X 3/8 knurled socket hd.(Grade 8 steel)	4020W	BOLT, 5/16-24 X 1-3/8 hex. hd.(Grade 5 steel)
3533	SCREW, 5/16-24 X 3/8 socket button hd.	4028	BOLT, 3/4-16 X 2-1/2 hex.hd.
3534B	SCREW, 1/2-13 X 2-1/2 socket hd. (Grade 8 steel)	4029	SCREW, 3/8-16 X 2-1/4 socket hd.(black)
3535	BOLT, 1/2-20 X 2 hex. hd.(chrome)	4029A	SCREW, 3/8-16 X 2-1/4 socket hd.(black)
3536	BOLT, 3/8-16 X 1-1/4 hex hd.(Grade 8 steel)	4030	SCREW, 3/8-16 X 2-7/16 socket pan hd.
3537	SCREW, 1/4-28 X 1/2 flange lock	4033	SCREW, 1/4-20 X 1-5/8 hex. soc. button hd.
3538	SCREW, 5/16-24 X 1/2 hex. socket button hd.	4036	BOLT, 5/16-24 X 1-1/2 hex. hd. (Grade 5 steel)
3540	SCREW, 5/16-18 X 5/8 hex. soc. button hd.	4041W	SCREW, 5/16-24 X 1-5/8 hex. hd.
3541	BOLT, No. 10-24 X 5/8 hex. hd. (Grade 2 steel)	4044	SCREW, 3/8-16 X 1 socket button hd.
3545	BOLT, No. 10-24 X 13/16 hex. washer hd.(Grade 18-8 stainless steel)	4045	BOLT, 3/4-10 X 2-3/4 hex. (Grade 8 steel)
3546	BOLT, 5/16-18 X 5/8 hex. hd. (flange lock)	4046	SCREW, 3/8-24 X 2-7/16 socket button hd. (Grade 8 steel)
3549	SCREW, 1/2-20 X 1-1/2 knurled socket hd.	4047	SCREW, 3/8 X 2 button hd. Torx (tapping)
3549A	SCREW, 1/2-20 X 1-1/2 knurled socket hd.	4052	BOLT, 1/2-13 X 1-3/4 hex. (Grade 5 steel)
3554	BOLT, 3/8-16 X 1-3/4 hex. hd.	4053W	BOLT, 5/16-24 X 2 hex. hd. (Grade 5 steel)
3556A	SCREW, No. 8-32 X 1/2 knurled socket hd.	4061	BOLT, 5/16-18 X 5 hex. hd. (Grade 5 steel)
3562	SCREW, No. 12 X 1/2 hex. washer hd. (self-tapping)	4067	BOLT, 5/16-18 X 4-1/2 hex. hd. (Grade 5 steel)
3563	SCREW, 1/4-20 X 3/8 hex. flange hd.	4068	BOLT, 5/16-18 X 1-7/8 hex. hd. (Grade 5 steel)
3567	SCREW, 5/16-24 X 1 socket fillis. hd.	4069	SCREW, 1/4-20 X 3/4 knurled socket hd.
3572A	SCREW, No. 8 X 3/4 hex. washer hd. (self-tapping)	4069A	SCREW, 1/4-20 X 3/4 knurled socket hd.
3573	BOLT, 5/16-18 X 3-3/4 hex. hd.	4070	SCREW, 5/16-24 X 2-1/4 socket hd.(chrome)
3574	SCREW, 1/4-20 X 3/4 hex washer hd.	4074	BOLT, 1/2-13 X 2 hex. hd. shoulder
3576	SCREW, 5/16-18 X 1/2 hex washer hd.	4079	BOLT, 1/2-13 X 2 hex. hd. (Grade 8 steel)
3579	SCREW, 1/2-13 X 5/8 (Grade 2 steel) (self tapping)	4079A	BOLT, 1/2-13 X 2 hex. hd.(Grade 8 steel)
3581	BOLT, No. 10-24 X 3/8 hex. hd. (Grade 2 steel)	4081	BOLT, 1/2-20 X 1-3/4 hex. hd. (Grade 5 steel)
3583	SCREW, No. 10-24 X 5/8 hex. washer hd.	4086	BOLT, 5/16-18 X 3 hex. hd.(Grade 5 steel)
3588	SCREW, 1/4-20 X 1/2 hex. flange hd.	4091	BOLT, No. 10-24 X 1/2 hex. washer hd.(self-tapping)
3589	SCREW, 5/16-24 X 1-1/4 socket hd. (chrome)	4092	SCREW, 5/16-18 X 3/4 socket button hd.
3594	SCREW, 1/4-20 X 5/8 knurled socket hd. (Grade 8 steel)	4094	SCREW, No. 10-32 X 1 Pozidriv pan hd.(Grade 2 steel)
3597	SCREW, No. 6-32 X 9/16 Torx pan hd.(thread cutting)	4095	SCREW, 5/16-24 X 7/16 socket hd. (w/lockpatch)
3598	SCREW, No. 6-32 X 3/4 Torx pan hd.(thread cutting)	4100HW	BOLT, 5/16-18 X 4 hex. hd.(Grade 5 steel)
3599	SCREW, 1/2-13 X 1-1/8 knurled soc. hd.(Grade 8 steel)	4104	SCREW, No. 10-24 X 1/2 hex. washer hd.
3602	SCREW, 5/16 X 1/2 hex. hd. (self-tapping)(sams)	4117	SCREW, 5/16-18 X 3-1/8 hex. hd. (Grade 5 steel)
3603	BOLT, 1/2-13 X 1-1/2 socket (Grade 8 steel)	4124	SCREW, No. 10 X 5/8(self-tapping)
3606	SCREW, No. 10-24 X 7/8 hex. hd.	4128	SCREW, 5/16-18 X 3/4 socket button hd.
3610	SCREW, 5/16-18 X 3-3/4 hex. flange hd. (Grade 5 steel)	4134	SCREW, No. 10-24 X 3/8 soc. button hd.
3651	SCREW, 1/4-20 X 1/4 socket rd. hd.	4319	BOLT, 3/8-24 X 1 hex. hd.(Grade 5 steel)
3652	SCREW, 1/4-20 X 3/8 socket hd.(chrome)	4325	BOLT, 1/4-20 X 5-1/2 hex hd.(Grade 8 steel)
3653	SCREW, 1/4-20 X 19/32 socket pan hd.(chrome)	4326	SCREW, 5/16-18 X 2 hex. soc. hd.
3655	SCREW, 5/16-18 X 7/8 pan hd.	4326A	SCREW, 5/16-18 X 2 hex. soc. hd.
3660	SCREW, 5/16-18 X 3/4 Torx drive pan hd.(w/lockpatch)(Grade 8 steel)	4327	SCREW, 5/16 X 3/4 hex. washer hd. (self-tapping)
3661	SCREW, 5/16 X 3/4 washer hd. (self-tapping)	4328	SCREW, 1/4-20 X 3/4 hex. washer hd.
3675	SCREW, 5/16-18 X 1 Torx washer hd. (self lock)	4329	BOLT, 3/8-24 X 1-1/4 hex. hd.(Grade 5 steel)
3685	SCREW, 5/16-18 X 1 socket flat hd. (Grade 8 steel)	4337W	SCREW, 5/16-18 X 4-1/4 socket fillister. hd.
3728	BOLT, 1/4-20 X 1/2 hex. hd.	4340	SCREW, 5/16-18 X 4-1/4 socket fillister. hd.
3730A	BOLT, 7/16-14 X 1-3/4 hex. hd. (Grade 8 steel)	4350	SCREW, 3/8-16 X 1-1/2 hex. soc. hd.
3738	BOLT, 1/4-28 X 1/2 hex. hd.(Grade 5 steel)	4350A	SCREW, 3/8-16 X 1-1/2 hex. soc. hd.
3739	SCREW, 1/4 X 5/8 hex. washer. hd. (self-tapping)	4352	SCREW, 3/8-16 X 1-1/2 Torx (self-tapping)(Grade 8 steel)
3764	BOLT, 7/16-14 X 2 hex. hd. (Grade 5 steel)		

COMMON HARDWARE

4355	SCREW, 3/8-16 X 1-3/4 knurled socket hd.	6040	WASHER, 3/4 X 1-1/2 X 1/16
4355A	SCREW, 3/8-16 X 1-3/4 knurled socket hd.	6047	WASHER, 5/8X 13/64X 3/64
4356	SCREW, 3/8-16 X 1-1/2 knurled socket hd. (Grade 8 steel)	6048W	WASHER, 1/8X 1/4X 1/32
4357	SCREW, 3/8-16 X 1-3/4 knurled socket hd. (Grade 8 steel)	6053	WASHER, 3/16 X 7/16 X 1/16(nylon) (black)
4363	SCREW, 1/4-20 X 1/2 soc. button hd.	6054	WASHER, 3/16 X 9/16 X 1/16(nylon) (black)
4364	SCREW, 1/4-20 X 1/2 soc. button hd.	6055	WASHER, 25/64 X 47/64 X 1/8(spring)
4365	SCREW, 1/4-24 X 1-3/4 soc. button hd.	6057	WASHER, 1/2 X 7/8 X 3/16 (nylon)
4371W	SCREW, 3/8-16 X 1-5/8 socket fillister. hd.	6083	WASHER, 1/2 X 11/16 X 1/16
4380W	BOLT, 3/8-24 X 2 hex hd. (Grade 5 steel)	6099	WASHER, 1/4 X 7/16 X 1/16
4382	SCREW, 5/16-24 X 3/4 hex. hd.(self-tapping)	6107B	WASHER, 5/16 X 11/16 X 1/8
4383	SCREW, 5/16-18 X 5/8 washer (Grade 2 steel)	6109	WASHER, 5/16 X 11/16 X 1/8
4384	SCREW, 5/16-18 X 1 hex washer hd. (self-threading)	6113	WASHER, 1/2 X 13/16 X 1/32
4391	BOLT, 5/16-24 X 5/8 hex. hd. (Grade 5 steel)	6114	WASHER, 9/32 X 5/8 X 1/32
4401W	BOLT, 3/8-24 X 2-3/4 hex. hd. (Grade 5 steel)	6115	WASHER, 13/32 X 23/32 X 1/16
4411	BOLT, 3/8-24 X 1-3/4 hex. hd. (Grade 5 steel)	6127	WASHER, 13/32 X 13/16 X 5/64
4412	BOLT, 3/8-24 X 2-1/2 hex. hd. (Grade 5 steel)	6150W	WASHER, 3/16 X 3/8 X 1/16
4416	BOLT, 3/8-24 X 1 hex. hd. (Grade 5 steel)	6182W	WASHER, 3/16 X 7/16 X 1/32
4416W	BOLT, 3/8-24 X 1 hex. hd. (Grade 5 steel)	6192	WASHER, No. 8 X 7/16 X 3/64
4420	BOLT, 3/8-16 X 2-3/4 hex. hd.(Grade 5 steel)	6198	WASHER, No. 8 X 1/4 X .06
4435W	BOLT, 3/8-24 X 3-1/2 hex. hd. (Grade 5 steel)	6217	WASHER, 3/8 X 3/4 X 1/16
4453	BOLT, 1/4-20 X 7/8 hex. hd.	6220W	WASHER, 1/4 X 7/16 X 1/32
4460	BOLT, 5/8-18 X 1 hex. hd. (Grade 5 steel)	6228W	WASHER, 1/4 X 1/2 X 3/64
4701	BOLT, 5/16-24 X 1-1/2 hex. hd. (Grade 5 steel)	6229W	WASHER, 5/16 X 1-1/16 X 3/64
4702	BOLT, 1/4-20 X 3/4 hex. (Grade 5 steel)	6235	WASHER, 1/4 X 23/32 X 1/16
4702A	BOLT, 1/4-20 X 3/4 hex.(Grade 5 steel)	6236B	WASHER, 17/64 X 1/2 X 3/32
4713W	BOLT, 3/8-16 X 3/4 hex. hd.(Grade 5 steel)	6237	WASHER, 5/16 X 1-1/8 X 5/64
4716W	BOLT, 3/8-16 X 1-1/4 hex. hd.(Grade 5 steel)	6239	WASHER, 1/4 X 1/2 X 3/32
4717	SCREW, 1/4-20 X 2-1/4 knurled socket hd.(w/lockpatch)	6242W	WASHER, 1/4 X 9/16 X 1/32
4718	SCREW, 1/4-20 X 1-1/2 knurled socket hd.(w/lockpatch)	6253W	WASHER, 1/4 X 3/4 X 3/64
4718A	SCREW, 1/4-20 X 1-1/2 knurled socket hd.(w/lockpatch)	6257W	WASHER, 9/32 X 1-3/8 X 1/16
4720W	BOLT, 3/8-16 X 1-3/4 hex. hd. (Grade 5 steel)	6261	WASHER, 1/4 X 3/4 X 3/32 (rubber)
4721	BOLT, 3/8-16 X 1-1/2 hex. hd.(Grade 5 steel)	6265	WASHER, 1/4 X 3/4 X 3/64 (plastic)
4722	BOLT, 3/8-16 X 2-1/4 hex. hd.(Grade 5 steel)	6314W	WASHER, 21/64 X 9/16 X 1/8
4724	BOLT, 3/8-24 X 1-1/2 hex. hd.(Grade 5 steel)	6316HW	WASHER, 5/16 X 5/8 X 1/16
4726	BOLT, 7/16-20 X 1-1/2 hex. hd.(Grade 5 steel)	6316W	WASHER, 5/16 X 5/8 X 1/16
4729	BOLT, 7/16-20 X 1-1/4 hex. hd.(Grade 5 steel)	6317	WASHER, 3/4 X 1-1/2 X 1/32 (nylon)
4736	SCREW, 3/8-16 X 1-5/8 socket hd. (drilled)	6324W	WASHER, 5/16 X 11/16 X 1/16
4739	BOLT, 5/16-18 X 1-3/4 hex. hd. tap	6330	WASHER, 11/32 X 11/16 X 1/16
4740	SCREW, 1/4-20 X 1-1/4 knurled socket hd.(w/lockpatch)	6332B	WASHER, 5/16 X 15/16 X 3/64
4740A	SCREW, 1/4-20 X 1-1/4 knurled socket hd.(w/lockpatch)	6333	WASHER, 5/16 X 7/8 X 5/64
4741	SCREW, 1/4-20 X 1 hex. socket hd.(w/lockpatch)	6334	WASHER, 7/16 X 29/32 X 1/16
4741A	SCREW, 1/4-20 X 1 hex. socket hd.(w/lockpatch)	6335	WASHER, No. 4 X 5/16 X 1/32
4742A	SCREW, 1/4-20 X 2-1/4 knurled socket hd.(w/lockpatch)	6336B	WASHER, 5/16 X 15/16 X 3/16
4743	BOLT, 1/2-20 X 2-3/8 hex. hd. (Grade 5 steel)	6340	WASHER, 13/16 X 1-15/32 X 1/8
4748	SCREW, 3/8-16 X 1-1/8 knurled socket hd.(Grade 8 steel)	6341B	WASHER, 5/16 X 1-1/8 X 3/64
4740A	SCREW, 1/4-20 X 1-1/4 hex. socket hd.(w/lockpatch & lockwasher)(Grade 8 steel)	6341B	WASHER, 5/16 X 1-1/8 X 3/64
4751	SCREW, 1/4-20 X 3/4 hex. hd. (w/lockpatch) (Grade 8 steel)	6352	WASHER, 5/16 X 7/8 X 3/32 (chrome)
4752	BOLT, 7/16-14 X 1-1/4 hex. hd.(Grade 8 steel)	6353	WASHER, 3/8 X 13/16 X 1/16 (chrome)
4753	SCREW, 1/4-20 X 3/8 hex. socket hd.(w/lockpatch & lockwasher) (Grade 8 steel)	6365	WASHER, 17/32 X 1-1/8 X 5/64
4800	SCREW, 1/4-20 X 1-1/8 socket pan hd.(w/lockpatch)(Grade 8 steel)	6366	WASHER, 1/2 X 1-1/4 X 3/32
4809	SCREW, 5/16-18X 1-3/8 socket hd.(black)	6375B	WASHER, 3/8 X 9/16 X 1/32
4810	SCREW, 1/4-20 X 1-3/4 knurled socket hd.(w/lockpatch)	6379W	WASHER, 3/8 X 5/8 X 3/64
4812	SCREW, 1/4-20 X 3/4 knurled socket hd.(w/lockpatch)	6398	WASHER, 3/8 X 13/16 X 3/32 (rubber)
4813	SCREW, 1/4-20 X 1-3/8 knurled socket hd.(w/lockpatch)	6400HB	WASHER, 5/16 X 13/16 X 3/32
4813A	SCREW, 1/4-20 X 1-3/8 knurled socket hd.(w/lockpatch)	6409	WASHER, 1/2 X 3/4 X 1/32 (plastic)
4814	SCREW, 1/4-20 X 1-1/8 knurled socket hd.(w/lockpatch)	6410	WASHER, 1/4 X 9/16 X 1/16(nylon)
4814A	SCREW, 1/4-20 X 1-1/8 knurled socket hd.(w/lockpatch)	6411	WASHER, 1/4 X 17/32 X 1/16
4816	SCREW, 5/16-18 X 1-1/2 socket hd.	6416	WASHER, 3/8 X 1 X 5/64
4816A	SCREW, 5/16-18 X 1-1/2 socket hd.	6448HB	WASHER, 13/32 X 13/16 X 3/32
4820	SCREW, 1/4-20 X 2 hex. socket	6474	WASHER, 3/8 X 13/16 X 5/32
4820A	SCREW, 1/4-20 X 2 hex. socket	6497HW	WASHER, 7/16 X 1-1/8 X 3/64
4822A	SCREW, 1/4-20 X 2-3/4 knurled socket hd.(w/lockpatch)	6506	WASHER, 1-13/32 X 2-3/32 X 1/16 (bronze)
4825	SCREW, 1/4-20 X 1-3/4 socket pan hd.(w/lockpatch)(Grade 8 steel)	6516HW	WASHER, 7/16 X 1-1/8 X 1/8
4825A	SCREW, 1/4-20 X 1-3/4 socket pan hd.(w/lockpatch)(Grade 8 steel)	6519	WASHER, 13/32 X 1-1/32 X 1/8
4961	BOLT, 3/4-16 X 1-5/8 hex. hd. (Grade 5 steel)	6530	WASHER, 1/2 X 1 X 3/16
5209	SCREW, No. 12-16 X 5/8 Pozidriv pan hd.	6590HW	WASHER, 1/2 X 1-1/8 X 3/32
5403B	CARRIAGE BOLT, 1/4-20 X 3/8	6639	WASHER, 5/8 X 1-5/16 X 3/32 (chrome)
5411	SCREW, 5/16-18 X 7/8 socket rd. hd.(square neck)(Grade 5 steel)	6645	WASHER, 11/32 X 1-1/32 X 1/8
5440	CARRIAGE BOLT 5/16-18 X 3/4	6653	WASHER, 5/8 X 1-5/16 X 3/32
5444	CARRIAGE BOLT, 3/8-16 X 1 (Grade 5 steel)	6655	WASHER, 5/8 X 1-1/2 X 3/32
5445W	BOLT, 5/16 X 1-1/4 carriage bolt (Grade 5 steel)	6700B	WASHER, 5/8 X 13/16 X 1/32
5465	CARRIAGE BOLT, No. 10-24 X 1/2	6701	WASHER, 3/8 X 13/16 X 1/16
6002	WASHER, 5/16 X 5/8 X 1/16 (black)	6702	WASHER, 5/16 X 11/16 X 1/16
6003	WASHER, 1-3/16 X 1-3/8 X 5/64	6703	WASHER, 1/4 X 5/8 X 1/16
6007	WASHER, 5/8 X 5/16 X 3/32(nylon)	6712B	WASHER, 5/8 X 15/16 X 3/32
6012	WASHER, 1/2 X 1-3/16 X 1/16	6716	WASHER, No. 10 X 1/2 X 3/64
6016	WASHER, 11/32 X 11/16 X 1/16	6717	WASHER, No. 6 X 3/8 X 3/64
6019	WASHER, 3/8 X 29/32 X 1/16	6718	WASHER, 1/2 X 1-1/16 X 3/32
6020	WASHER, 3/8X 7/8 X 7/64	6723	WASHER, 17/32 X 1-1/2 X 9/64
6026	WASHER, 3/8 X 7/8 X 7/64	6724	WASHER, 21/32 X 1-1/16 X 1/16
6029	WASHER, 5/32 X 3/8 X 1/32	6734	WASHER, 19/64 X 41/64 X 5/64 (black)
		6736	WASHER, 9/32 X 5/8 X 1/16
		6737	WASHER, 57/64 X 1-3/64 X 1/32
		6738	WASHER, 17/32 X 7/8 X 7/64

COMMON HARDWARE

6758	WASHER, 3/8 X 37/64 X 7/64	7620W	NUT, No. 10-24 X 1/8 X 3/8 hex. (Grade 2 steel)
6759	WASHER, 3/16 X 3/8 X 1/32 (nylon)	7624	LOCKNUT, No. 10-24 X 1/4 X 3/8 hex.
6762B	WASHER, 11/16 X 29/32 X 1/32	7626W	LOCKNUT, No. 10-32 X 3/16 X 3/8 hex.
6771	WASHER, 21/64 X 33/64 X 1/16	7627	ACORN NUT, 1/2-13 X 3/4 hex (chrome)
6771A	WASHER, 21/64 X 33/64 X 1/16	7628	FLANGE LOCKNUT, 3/8-24
6774	WASHER, 3/8 X 5/8 X 3/64	7629	NUT, No. 10-32 X 3/8 hex (keps)
6781	WASHER, 5/16 X 37/64 X 5/64	7634	NUT, No. 10-32 X 1/8 X 5/16 hex.(brass)
6788	WASHER, 21/6 X 1/2 X 1/16	7635W	NUT, No. 10-32 X 13/32 X 3/8 hex.
6789	WASHER, No. 6 X 7/8 X .05	7638	NUT, No. 10-32 X 1/8 X 3/8 hex.(Grade 2 steel)
6798	WASHER, 5/16 X 1/2 X .03	7643W	JAM NUT, 3/8-16 X 7-32 X 9/16 hex.
6812	WASHER, 13/32 X 11/16 X 1/16	7651	ACORN NUT, No. 12-24 X 3/8 hex
6816	WASHER, 17/64 X 9/16 X 1/16	7652	NUT, 3/4-16 X 1-1/8 hex.(chrome)
6960	WASHER, 1/2 X 3/4 X .004	7653	ACORN NUT, No. 12-24 X 7/16 X 3/8 hex.(black)
6961	WASHER, 1/2 X 3/4 X .007	7654W	NUT, No. 12-24 X 5/32 X 7/16 hex.
6962	WASHER, 1/2 X 3/4 X .015	7655	ACORN NUT, 3/8-16 (chrome)
6963	WASHER, 1/2 X 3/4 X .031	7667	NUT, 3/8-16 X 9/32 X 9/16 hex. (w/nylon insert)
6969	LOCKWASHER, No. 4	7669	TEE NUT, 5/16-18
6970	WASHER, spring, 1/4 X 1/2 X 1/16	7676	NUT, 1/4-28 X 7/32 X 7/16 hex.(Grade 2 steel)
7005	LOCKWASHER, 15/64 (black)	7680W	ACORN NUT, 3/8-16 X 25/32 X 9/16 hex. (Grade 2 steel)(chrome)
7010	LOCKWASHER, No. 6	7682	LOCKNUT, 1/4-28 X 3/16 X 7/16 hex.
7015	LOCKWASHER, No. 8	7683	LOCKNUT, 1/4-28 X 5/16 X 7/16 hex.
7017	WASHER, 17/64 X 33/64 X 5/64 (black)	7686	LOCKNUT, 1/4-20 X 5/16 X 7/16 hex.
7018	WASHER, 17/64 X 37/64 X 5/64 (black)	7688	NUT, 1/4-20 X 7/32 X 7/16 hex.(Grade 2 steel)
7019	WASHER, 1/2 X 3/4 X 1/4 (rubber)	7689W	JAM NUT, 1/4-20 X 5/32 X 7/16 hex. (Grade 2 steel)
7022	LOCKWASHER, 5/8	7710W	LOCKNUT, 5/16-18 hex.
7030W	LOCKWASHER, No. 12	7715	LOCKNUT, 5/16-18 X 17/64 X 1/2 hex.
7036	LOCKWASHER, 1/4	7716	FLANGE LOCKNUT, 1/4-20 X 7/16 hex
7038	LOCKWASHER, 3/8	7725	LOCKNUT, 5/16-24 X 11/32 X 1/2 hex.
7039	LOCKWASHER, 7/16	7727	LOCKNUT, 5/16-24 X 1/4 X 1/2 hex.
7041	LOCKWASHER, 5/16	7729	LOCKNUT, 5/16-24 X 1/4 X 1/2 hex.
7042	LOCKWASHER, 5/16 (high collar)	7734W	CASTLE NUT, 1/2-20 X 9/16 X 3/4 hex. (Grade 5 steel)
7043	LOCKWASHER, 3/4	7736	ACORN NUT, 5/16-24 X 19/32 X 1/2 hex. (Grade 2 steel)(chrome)
7045	LOCKWASHER, 3/8 (high collar)	7737W	ACORN NUT, 1/4-20 X 15/32 X 7/16 hex. (Grade 2 steel)
7068	LOCKWASHER, 1/2	7739	LOCKNUT, 5/16-18 X 11/32 X 1/2 hex.
7069	LOCKWASHER, No. 10	7740	LOCKNUT, 5/16-18 X 1/4 X 1/2 hex.
7100	LOCKWASHER, 5/16 internal/external tooth	7741	LOCKNUT, 1/2-20 X 1/2 X 3/4 hex.
7101	LOCKWASHER, 3/8 internal/external tooth	7742	LOCKNUT, 1/4-20 X 7/32 X 7/16 hex.
7102	LOCKWASHER, #10 internal/external tooth	7743	SPEED NUT, for 1/4-20 bolt
7112	LOCKWASHER, No. 6 internal tooth	7744	JAM NUT, 5/16-24 X 3/16 X 1/2 hex. (Grade 2 steel)
7115	LOCKWASHER, No. 8 internal tooth	7748W	NUT, 5/16-18 X 1/4 X 1/2 hex.(Grade 2 steel)
7118	LOCKWASHER, No. 10 internal tooth	7752	SPEED NUT, for 5/16-18 screw
7124	LOCKWASHER, 1/4 internal tooth	7753	NUT, 5/16-24 X 1/4 X 1/2 hex.(Grade 2 steel)
7127	LOCKWASHER, 5/16 internal tooth	7763W	JAM NUT, 5/16-18 X 3/16 X 1/2
7129	LOCKWASHER, 1/2 internal tooth	7768W	LOCKNUT, 1/2-13 X 19/32 X 3/4 hex.
7130W	LOCKWASHER, 3/8 internal tooth	7772	LOCKNUT, 5/16-24 X 3/8 Fillister (Grade 2 steel)
7142	LOCKWASHER, 3/4 internal tooth	7775	LOCKNUT, 3/8-24 X 7/16 X 9/16 hex.
7145W	LOCKWASHER, 3/8 external tooth	7776W	LOCKNUT, 3/8-24 X 9/32 X 9/16 hex.
7150	LOCKWASHER, 7/8 internal tooth	7778	LOCKNUT, 3/8-16 X 7/16 X 9/16 hex.
7220	LOCKWASHER, No. 10 external tooth	7780	LOCKNUT, 3/8-24 X 13/32 X 11/16 hex.
7229W	LOCKWASHER, 1/4 internal/external tooth	7782	LOCKNUT, 3/8-24 X 3/8 X 9/16 hex. (Grade 8 steel)
7230	LOCKWASHER, 1/4 external tooth	7783	NUT, 3/8-16 X 5/16 X 9/16 hex.(Grade 2 steel)
7232	LOCKWASHER, 5/16 external tooth	7789	LOCKNUT, 3/8-24 hex.
7234	LOCKWASHER, No. 10 external tooth	7792	NUT, 1/4-20 X 1/4 hex. (Grade 2 steel)
7415A	WASHER, 11/32 X 7/8 X 1/8 (rubber)	7796	NUT, 5/16-18 X 1/4 hex. (Grade 2 steel)
7419	WASHER, 11/32 X 11/16 X 1/8 (rubber)	7800W	NUT, 3/8-24 X 5/16 X 9/16 hex.(Grade 2 steel)
7495	FLANGE NUT, M6	7804	NUT, 1/2-13 X 15/32 X 7/8 (sealing)
7501	SPEED NUT, 1/4 dia. stud size (self threading)	7812W	LOCKNUT, 1/2-20 X 5/16 X 3/4 hex.
7506	NUT, No. 4-48 X 3/32 X 1/4 hex.(Grade 2 steel)	7813	NUT, 5/8-18 X 9/16 X 15/16 hex. (Grade 2 steel)
7507	ACORN NUT, 5/16-18 X 11/16 X 1/2 hex.(Grade 2 steel)(chrome)	7823	CASTLE NUT, 5/8-18 X 3/8 X 15/16 hex. (Grade 2 steel)
7510	CLIP NUT, 1/4-28 (chrome)	7824	LOCKNUT, 1/2-20 X 1/4 hex. (Grade 2 steel)
7513	ACORN NUT, 5/16-24 X 19/32 X 1/2 hex.	7825	LOCKNUT, 7/16-20 X 7/16 X 5/8 hex.
7515	JAM NUT, 7/16 X 1/4 X 11/16 (Grade 2 steel)	7827W	LOCKNUT, 7/16-14 hex.
7520	ACORN NUT, No. 6-32 X 1/4 X 1/4 hex.(nylon)	7833	HEX NUT, 5/16-24
7527	ACORN NUT, 5/16-18 X 11/16 X 1/2 hex.	7837W	NUT, 7/16-20 X 3/8 X 11/16 hex.(Grade 2 steel)
7531	FLANGE LOCKNUT, 5/16-18 X 9/32 X 1/2 hex.	7838	HEX NUT, No. 10-24 (keps)
7549	ACORN NUT, 5/16-18 X 9/16 X 1/2 hex.	7843	HEX NUT, 1/2-13 (slotted)
7549A	ACORN NUT, 5/16-18 X 9/16 X 1/2 hex.	7844	LOCKNUT, 1/2-13 X 5/16 X 3/4 hex.
7554	ACORN LOCKNUT, 1/2-13	7845	NUT, 1/2-20 X 7/16 X 3/4 hex.(Grade 2 steel)
7561	NUT, 7/16-20 X 7/16 X 11/16 hex.	7848W	JAM NUT, 7/16-20 X 1/4 X 11/16 hex. (Grade 2 steel)
7562	LOCKNUT, 5/16-20 X 1/2 hex.	7855W	JAM NUT, 3/4-16 X 7/16 X 1-1/8 hex. (Grade 2 steel)
7568	CAP NUT, No. 10-32 (plastic)	7860	FLANGE NUT, 1/4-20 (Grade 2 steel)
7569	NUT, M6 X 10mm hex (keps)	7880	NUT, 1/2-13 X 7/16 X 3/4 hex.(Grade 2 steel)
7571	NUT, M6 X 5mm hex (keps)	7888	SPEED NUT, for .12 dia. stud size
7576	FLANGE NUT, 3/8-16 X 9/16 hex (keps)	7889	HEX NUT, No. 6-32 (keps)
7577	FLANGE NUT, 5/16-18	7916A	JAM NUT, 5/8-18 hex.
7590	NUT, No. 6-32 X 1/8 X 5/16 hex.(Grade 2 steel)	7986	NUT, 5/8-18 X 5/8 X 1-1/16 hex.(Grade 5 steel)
7593	FLANGE NUT, 5/16-24	7987	CASTLE NUT 5/8-18 X 15/16 hex
7594	LOCKNUT, 5/16-18 X 1/2 (nylon locking)	7993	LOCKNUT, 5/8-18 X 15/16 hex.
7598	HEX NUT, 3/4-10	7994	LOCKNUT, 5/8-18X 15/16 hex
7600	HEX NUT, No. 4-40 (keps)	8101	SPEED NUT, for 5/16-18 bolt
7601	FLANGE LOCKNUT, 3/8-16	8102	SPEED NUT, for 5/16-18 screw
7602	ACORN NUT, No. 10-32 X 5/16 X 23/64 hex.(nylon-locking)	8107	SPEED NUT, for No. 10-A or Z thread screws
7606	LOCKNUT, No. 8-32 X 1/4 X 1/4 hex.(chrome)	8108	SPEED NUT, 11/32 dia.
7608	NUT, No. 8-32 X 1/8 X 11/32 hex.(Grade 2 steel)	812	SCREW, 1/4-20 X 1-1/2 knurled socket hd. (chrome)
7609W	LOCKWASHER, 1/2 X 3/4 X 1/4 (rubber)	8125	SPEED NUT, for 3/32 bolt

COMMON HARDWARE

813A	SCREW, 1/4-20 X 1-3/4 knurled socket hd. (chrome)
8131W	LOCKNUT, No. 4-40 X 1/8 X 1/4hex.
8135B	SPEED NUT, 1/4 dia. stud size
8135W	SPEED NUT, 1/4 dia. stud size
813A	SCREW, 1/4-20 X 1-3/4 knurled socket hd. (chrome)
8151	SPEED NUT, for No. 10-32 screw
8155	SPEED NUT, for No. 8-32 screw
852	SCREW, 1/4-20 X 1 knurled socket hd.
853A	SCREW, 5/16-18 X 12-1/4 knurled socket hd
854	SCREW, 3/8-24 X 2 knurled socket hd.
854A	SCREW, 5/16-18 X 2-1/4 socket hd. (Grade 2 steel)
855A	SCREW, 3/8-16 X 2 knurled socket hd.
855B	SCREW, 3/8-16 X 2 knurled socket hd.
856	SCREW, 5/16-24 X 1 knurled socket hd.
856A	SCREW, 5/16-24 X 1 knurled socket hd.
857	SCREW, No. 10-24 X 3/8 knurled socket hd. (black)
857A	SCREW, No. 10-24 X 3/8 knurled socket hd. (black)
860	SCREW, 3/8-16 X 2 knurled socket hd. (black)
861A	SCREW, 3/8-16 X 1 knurled socket hd. (Grade 8-steel)
864	SCREW, 1/4-20 X 7/16 socket pan hd.
866	SCREW, 5/16-18 X 1-1/8 knurled socket hd.
867	SCREW, 1/2-13 X 3-1/2 knurled socket hd. (black)
867A	SCREW, 1/2-13 X 3-1/2 knurled socket hd. (black)
868	SCREW, 1/2-13 X 1/2 socket button hd.
869	SCREW, 1/4-20 X 1-1/4 socket button hd. (Grade 8 steel)
872	SCREW, 1/2-20 X 3-1/4 knurled socket hd.
872A	SCREW, 1/2-20 X 3-1/4 knurled socket hd.
875	SCREW, 5/16-18 X 1 knurled socket hd.
876	SCREW, 5/16-18 X 2-1/2 knurled socket hd. (Grade 5 steel)
879A	SCREW, 5/16-18 X 3-1/2 knurled socket hd. (Grade 8 steel)
882	SCREW, 1/4-20 X 7/8 knurled socket hd. (Grade 8 steel)
883	SCREW, 3/8-16 X 1-1/4 knurled socket hd.
884	SCREW, 1/4-20 X 7/8 knurled socket hd.
884A	SCREW, 1/4-20 X 7/8 knurled socket hd. (Grade 8 steel)
891	SCREW, 1/4-20 X 1-3/4 socket hd. (Grade 8 steel)
904	SCREW, 1/4-20 X 7/8hex washer hd.
907	SCREW, No. 10-32 X 7/16 Pozidriv fillister hd. (w/lockpatch) (Grade 2 steel)
909	SCREW, No. 10-24 X 1-1/4 Pozidriv pan hd. (w/lockpatch)(Grade 2 steel)
910	SCREW, M4 X 0.7 X 10mm cross recess pan hd. (sems)
917	SCREW, M8 X 42mm pan hd.
919	SCREW, 1/4-28 X 3/4 socket hd.
920	SCREW, 5/16-24 X 7/8 knurled socket hd.(w/lockpatch)
922	SCREW, No. 6-32 X 3/4 Phillips hd. (black)
923	SCREW, 1/4-20 X 21/32 socket pan hd.
924	SCREW, 1/4-20 X 33/64 socket pan hd.
925	SCREW, 1/4-28 X 5/8 socket button hd.
927A	SCREW, 1/4-20 X 3/4 button hd. (Grade 8 steel)
932	SCREW, 1/4-20 X 1/2 truss hd. (chrome)
933	SCREW, No. 10-32 X 15/16 Pozidriv truss hd. (Grade 2 steel)
939	SCREW, 1/4-20 X 1 w/washer (Grade 2 steel) (self-tapping)
940	SCREW, 1/4-20 X 3/4 button hd. Torx
941	SCREW, 1/4-20 X 5/8 button hd. Torx
945	SCREW, 1/4-20 X 2-1/2 button hd. Torx
943	SCREW, 1/4-20 X 5/8 socket button hd.
946	SCREW, 1/4-20 X 2-1/4 Torx button hd. (Grade 8 steel)